PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

BES

Applicant's or agent's file P200300895WO	reference	FOR FURTHER AC	ΓΙΟΝ	See Form PCT/IPEA/416	N.		
International application PCT/DK2004/00051		International filing date (da 22.07.2004	ay/month/year)	Priority date (day/month/year 23.07.2003	AILA		
P200300895WO International application No. PCT/DK2004/000510 International Patent Classification (IPC) or national classification and IPC A63H33/08 FOR FURTHER ACTION See Form PCT/IPEA/416 Priority date (day/month/year) 23.07.2003 Priority date (day/month/year) 23.07.2003							
Applicant LEGO A/S et al							
This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.							
2. This REPORT of	2. This REPORT consists of a total of 4 sheets, including this cover sheet.						
-	3. This report is also accompanied by ANNEXES, comprising:						
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).							
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.							
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).							
This report contains indications relating to the following items:							
⊠ Box No. I	Basis of the opin	nion					
☐ Box No. II	Priority						
☐ Box No. III	III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability						
☐ Box No. IV							
⊠ Box No. V	applicability; citations and explanations supporting such statement						
☐ Box No. VI							
☐ Box No. VII	• •						
☐ Box No. VIII Certain observations on the international application							
Date of submission of the	e demand		Date of completion of thi	s report			
20.05.2005			31.10.2005				
Name and mailing address of the international		al	Authorized Officer	4	ches Petenten		
preliminary examining authority:		Shmonin, V	·				
Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465		Telephone No. +49 89 2	399-2043	Office onto other			

Lu/565130

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCŢ/DK2004/000510

IAP20 Rec'element 18 JAN 2006

	Box No. I Basis of the report				
1.	With regard to the language , this report is based on the international application in the language in which filed, unless otherwise indicated under this item.				
	☐ This report is based on tran which is the language of a t	slations from the original language into the following language , ranslation furnished for the purposes of:			
	☐ international search (und				
2.	With regard to the elements * of the international application, this report is based on <i>(replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):</i>				
			13		
	Description, Pages		ñ		
	1-12	as originally filed	4		
	Claima Numbara	·	2		
	Claims, Numbers	received on 24.05.2005 with letter of 20.05.2005			
	1-0		≥		
Drawings, Sheets			<u> </u>		
	1/3-3/3	as originally filed	33		
	☐ a sequence listing and/or ar	ny related table(s) - see Supplemental Box Relating to Sequence Listing	BEST AVAII ABI F COPY		
3.					
	☐ the description, pages☑ the claims, Nos. 1-6				
	the drawings, sheets/figs				
	☐ the sequence listing (specific any table(s) related to see	ecify): equence listing <i>(specify)</i> :			
	•				
4.	had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).				
	the description, pagesthe claims, Nos.	•			
	the drawings, sheets/figs				
	☐ the sequence listing (sp.☐ any table(s) related to se				
	•	ome or all of these sheets may be marked "superseded."			

ON PATENTABILITY

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims 1-6

INTERNATIONAL PRELIMINARY REPORT

No: Claims

Inventive step (IS) Yes: Claims 1-6

No: Claims

Industrial applicability (IA) Yes: Claims 1-6

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

BEST AVAILABLE COPY



INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

PCT/DK2004/000510

Reference is made to the following document:

D5: WO 01/17634

The document D5 is regarded as being the closest prior art to the subject-matter of the independent claim 1 and shows an egg-shaped container composed of two elements: a top element provided with upwardly protruding coupling suds and a bottom element provided with coupling skirts.

The subject-matter of claim 1 differs from this known D5 in that the top and a bottom elements can be interconnected exclusively by rotation and that the toy building set further comprises at least one intermediate element between the top and bottom elements.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

The problem to be solved by the present invention may be regarded as how to provide a toy building element with variable height and which at the same time would reliably keep its integrity during play.

The solution to this problem proposed in claim 1 of the present invention is considered as involving an inventive step (Article 33(3) PCT) for the following reasons: none of the prior art documents discloses a toy building element with coupling studs and/or skirts having an intermediate element which can be interconnected with top and bottom elements exclusively by rotation.

Claims 2-6 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

Claims 2-6 also meet the criteria of industrial applicability.

IAP20 REC'E POTITTO 18 JAN 2006

Claims (amended)

Printed: 06/06/2005

5

10

15

- 1. A toy building element with coupling studs (6; 23; 33; 43; 45; 63) and/or coupling skirts (7; 27; 37; 57) that are complementary therewith for interconnection with other toy building elements provided with corresponding coupling studs and/or coupling skirts, the interconnection taking place in the axial direction of the coupling stude and/or-coupling skirts, said toy building element comprising a top element (1; 21; 31; 41; 51) and a bottom element (2; 22; 32; 42; 52) that can be interconnected by means of integral coupling means that are releasable exclusively by rotation about an axis (A) in parallel with the axial direction of the coupling studs (6; 23; 33; 43; 45; 53) and/or the coupling skirts (7; 27; 37; 57), characterised in that the toy building element further comprises at least one intermediate element (8; 38; 48; 58), said top element (1; 21; 31; 41; 51) being interconnectable with an upper end of the intermediate element (8; 38; 48; 58), while the bottom element (2; 22; 32; 42; 52) can be interconnected with a lower end of the intermediate element (8; 38; 48; 58).
- 2. A toy building element according to claim 1, characterised in that the coupling means are a bayonet coupling (10, 12, 15, 16). 20
 - 3. A toy building means according to claim 1, characterised in that the coupling means are a threaded coupling (25, 29).
- 4. A toy building element according to any one of claims 1-3, characterised 25 in that the top element is provided with upwardly projecting coupling studs (6; 23; 33; 43; 53), while the bottom element is provided with coupling skirts (7; 27; 37; 57).



